te e							CEDIAL	NO		
Form PTO-1449		U.S. DEPARTMENT OF COMMERCE			ATTY. DOCKET NO.		SERIAL	SERIAL NO.		
REV. 8-83)	PATENT AND TRADEMARK				UCAL-250/02US		(	08/976,560		
O I PIRPO	RMAT	ION DISCLOSURE several sheets if nece	STATEMENT							
ري ن ن	) (Use	several sheets if nece	3341 7 7		APPLICANT	: Nelson	B. Freimer et a	1.		
MAY 2 8 1999 6					FILING DAT		GROUP			
	7				Novemb	er 24, 1997		1 <del>634</del>		
*EXAMINER INITIAL		DOCUMENT NUMBER	DATE	1	NAME	CLASS	SUBCLASS	FILING		
LBA	P1	5,283,185	01-Feb-94	Ер	and et al.	435	172.3	28 Aı	1g 91	
	P2				<u> </u>					
	P3		121							
	P4									
	P5			17						
			FOREIGN 1	PATENT D	OCUMENTS		1	TDANS	LATION	
			,				GYID GL A CC		NO	
		DOCUMENT NUMBER	DATE	CC	OUNTRY	CLASS	SUBCLASS	YES	140	
	F1					y-				
	F2									
		OTHER PUBLI	CATIONS (incl	uding Auth	or, Title, Date,	Pertinent Pag	es etc.)	(1002)		
LBA	D1	BALLABIO et al., "	The rise and fal	l of position	nal cloning?" No	at Genet., Vo	ol. 3, pp. 277-9.	(1993)	o morkers	
LBA	D2	BARON et al., "Diminished support for linkage between manic depressive illness and X-chromosome markers in three Israeli pedigrees," Nature, Vol. 3, pp. 49-55 (1993)								
LBA	D3	BARON et al., "Genetic linkage between X-chromosome markers and bipolar affective illness," Nature, Vol. 326, pp. 289-292 (1987)								
LBA	D4	I suscentibility gene.'	BERRETTINI et al., "Chromosome 18 DNA markers and manic-depressive illness: Evidence for a susceptibility gene." Proc. Nat'l Acad, Sci., Vol. 91, pp. 5918-5921, U.S.A. (1994)							
LBA	D5	BERTELSON et al., "A Danish Twin Study of Manic-Depressive Disorders," Br. J. Psychiatry. Vol. 130, pp. 330-351 (1977)								
LBA	D6	BOEHNKE, M., "Allele Frequency Estimation from Data on Relatives," Am. J. Hum. Genet., Vol. 48, pp. 22-23 (1991)								
. о Д	D7	BROWNE AND LITT, "Characterization of (CA)n microsatellites with degenerate sequencing primers,"  Nucleic Acids Res., Vol. 20, p. 141 (1992)								
UBA	D8	BUCKLER et al., "Exon amplification: a strategy to isolate mammalian genes based on RNA splicing," Proc Natl Acad Sci. Vol. 88, pp. 4005-9, U.S.A. (1991)								
LBA	D9	COHEN et al., "A first-generation physical map of the human genome," Nature, Vol. 366, pp. 698-701 (1993)								
LBA	DIC	Depression," Biol Psychiatry, Vol. 39, pp. 689-696 (1996)								
EXAMINER	Rina	A GARI			DATE CON	ISIDERED				

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609: Draw line through citation if not in conformation and not considered. Include a copy of this form with the next communication to applicant.

<b>%</b> 4		. •		GERIAL NO	
Form PTO-1449 (REV. 8-83)	RMAT	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO.  UCAL-250/02US	SERIAL NO. 08/976,560	
OIA	(Use	e several sheets if necessary)	APPLICANT:	Fusimon et al	
MAY			Nelson B. Freimer et al.  FILING DATE: GROUP		
2 8 1999	JC85		November 24, 1997	<del>-1634</del> 1655	
13.		OTHER PUBLICATIONS (including Author	r, Title, Date, Pertinent Pages e	tc.)	
CBA COSE	D11	COPEMAN, J.B. et al., "Linkage disequilibrium mapping of a type 1 diabetes susceptibility gene (IDDM7) to chromosome 2q31-q33," Nature Genet., Vol. 9, pp. 80-85 (1995)			
LBA	D12	COTTON et al., "Reactivity of cytosine and thymine in single-base-pair mismatches with hydroxylamine and osmium tetroxide and its application to the study of mutations," <i>Proc Natl Acad Sc</i> , Vol. 85, pp. 4397-401, U.S.A. (1988)			
LBA	D13	DE LA CHAPELLE, "Disease gene mapping in isolated human populations: the example of Finland," J Med Genet., Vol. 30, pp. 857-65 (1993)			
LBA	D14	DELISI, Lynn E., "Failure to Find a Chromosome 18 Pericentric Linkage in Families With Schizophrenia," Am J. of Med. Genetics, Vol. 60, pp. 532-534 (1995)			
UBA	D15	DIRIENZO, A. et al., "Mutational processes of simple-sequence repeat loci in human population," Proc. Nat'l Acad. Sci., Vol. 91, pp. 3166-3170, U.S.A. (1994)			
LBA	D16	EDWARDS, J.H., "The analysis of X-linkage," Ann, Hum. Genet., Vol. 34, pp. 229-250 (1971)			
CBA	D17	ENDICOTT, J. et al., "A Diagnostic Interview," Arch. Gen. Psych., Vol. 35, pp. 837-844 (1978)			
LBA	D18	EGELAND et al., "Bipolar affective disorders linked to DNA markers on chromosome 11," Nature, Vol. 325, pp. 783-787 (1987)			
LBA	D19	ESCAMILLA, M.A. et al., "Use of Linkage Disequilibrium Approaches to Map Genes for Bipolar Disorder in the Costa Rican Population," Neuropsychiat. Genet., Vol. 67, pp. 244-253 (1996)			
CBA	D20	FELGNER et al., "Lipofection: A Highly Efficient, Lipid-Mediated DNA-Transfection Procedure," Proc. Nat'l Acad. Sci., Vol. 84:7413-7417, U.S.A. (1987)			
LSA	D21	FREIMER, N.B. et al., "An Approach to Investigating Linkage for Bipolar Disorder Using Large Costa Rican Pedigrees," Neuropsychiat. Genet, Vol. 67, pp. 254-263 (1996)			
LBA	D22	FREIMER, N.B. et al., "Genetic Mapping using haplotype, association and linkage methods suggests a locus for severe bipolar disorder (BPI) at 18q22-q23," Nature Genetics, Vol. 12, pp. 436-441 (1996)			
LBA	D23	FREIMER AND REUS, "The Genetics of Bipolar Disorder and Schizophrenia," Ch:64, pp. 951-965 (1992)			
LBA	D24	GOODWIN, F.K. et al., "Manic Depressive Illness," Oxford University Press, pp. 373-401, New York (1990)			
LBA	D25	GYAPAY, F. et al., "The 1993094 Généthon human genetic linkage map," Nature Genet., Vol. 7, pp. 246-339 (1994)			
LBA	D26	Cloning by Fine-Structure Linkage Disequilibrium Mapping," Cell, Vol. 78, pp. 10/3-1087 (1994)			
LBA	D27	HOUWEN et al., "Genome screening by searching for shared segments: mapping a gene for benign recurrent intrahepatic cholestasis," Nat Genet., Vol. 8, pp. 380-6 (1994).			
	D28 HUDSON et al., " <u>Isolation and Chromosomal Assignment of 100 Highly Informative Human Simple Sequence</u> Repeat Polymorphisms," <i>Genomics</i> , Vol. 13, pp. 622-629 (1992)				
EXAMPLER.	lo	B. Carlem	DATE CONSIDERED		

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609: Draw line through citation if not in conformation and not considered. Include a copy of this form with the next communication to applicant.

Form PTO-1449		U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO.	SERIAL NO.		
REV. 8-83) INFO		FION DISCLOSURE STATEMENT the several sheets if necessary)	UCAL-250/02US	08/976,560		
			APPLICANT: Nelson B. Freimer et al.			
		·	FILING DATE: November 24, 1997	GROUP 1634 1655		
		OTHER PUBLICATIONS (including Author				
LBA	D29	HUMMERICH et al., "Distribution of trinucleot Huntington's disease gene," Hum Mol Genet, Vo	1. 3, pp. 73-8 (1994)			
	D30	JOU, et al., " <u>Localization of the α<sub>2</sub>-Macroglobul</u> Gene Fragments to Human Chromosome 4p16.3 (1994)	in Receptor-Associated Protein by Direct cDNA Selection," G	n 1 Gene (LRPAP1) and Other enomics, Vol. 24, pp. 410-413		
	D31	KELSOE et al., "Re-evaluation of the linkage relationship between chromosome 11p loci and the gene for bipolar affective disorder in the Old Order Amish," <i>Nature</i> , Vol. 342, pp. 238-243 (1989)				
ž	D32	KEREM et al., "Identification of the Cystic Fibrosis Gene: Genetic Analysis," Science, Vol. 245, pp. 107 (1989)				
	D33	Linkage Map," Cold Springs Harber, Vol. 51, pp. 49-62 (1986)  LATHROP et al., "Strategies for multilocus linkage analysis in humans," Proc. Nat'l Acad. Sci., Vol. 81, pp. 3443-3446, U.S.A. (1984)				
	D34					
	D35					
	D36	LOVETT, M. et al., " <u>Direct selection: A method for the isolation of cDNAs encoded by large genomic region Proc. Nat'l Acad. Sci.</u> , Vol. 88, pp. 9628-9632, U.S.A. (1991)				
	D37	MACDONALD et al., "The Huntington's disease Genet., Vol. 1, pp. 99-103. (1992)	e candidate region exhibits mar	ny different haplotypes," Nat		
10	D38	MAIER et al., "Linkage analysis between pericentrometric markers on chromosome 18 and bipolar disorder: A replication test," Psych. Res., Vol. 59, pp. 7-15 (1995)				
LBA	D39	MCINNIS, L.A. et al., "Mapping genes for psychiatric disorders and behavioral traits," Curr. Opin, in Genet. And Development, Vol. 5, pp. 376-381 (1995)				
LBA	D40	TOTAL TOTAL TOTAL TOTAL TOTAL STREET OF HISTORICAL CONTROL OF THE				
MA	D41	MURRAY, J.C. et al., "A Comprehensive Human Linkage Map with Centimorgan Density," Science, Vol. pp. 2049-2054 (1994)				
(BA	D42	NURNBERGER, J.L. et al., "Diagnostic Interview for Genetic Studies," Arch. Gen, Psychiat, Vol. 51, pp. 849-859 (1994)				
LOR	D43	NYLANDER et al., "Anticipation in Swedish families with bipolar affective disorder," J Med Genet., Vol. 31, pp. 686-9 (1994)				
[DB	D44	Bipolar Affective Disorder in the Old Order Amish," Am. J. Hum. Genet., Vol. 57, pp. 636-643 (1995)				
XAMINER,	Risa	a b Cally	DATE CONSIDERED			

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609: Draw line through citation if not in conformation and not considered. Include a copy of this form with the next communication to applicant.

		•						
Form PTO-1449		U.S. DEPARTMENT OF COMMERCE	ATTY. DOCKET NO.	SERIAL NO.				
(REV. 8-83)		PATENT AND TRADEMARK OFFICE	UCAL-250/02US	08/976,560				
INFO	RMAT	TION DISCLOSURE STATEMENT						
	(Us	e several sheets if necessary)						
			APPLICANT: Nelson B. Freimer et al.					
			FILING DATE: GROUP					
			November 24, 1997	1634 1655				
OTHER PUBLICATIONS (including Author, Title, Date, Pertinent Pages etc.)								
10-0	D45	PAULS et al., "Risks of affective illness among t	first-degree relatives of bipolar I	old-order Amish probands,"				
LBA		Arch Gen Psychiatry, Vol. 49, pp. 703-8 (1992)						
1	D46	PETRUKHIN, K.E. et al., "A Microsatellite Gen	PETRUKHIN, K.E. et al., "A Microsatellite Genetic Linkage Map of Human Chromosome 13," Genomics,					
		Vol. 15, pp. 76-85 (1993)						
	D47	SPIELMAN et al., "Transmission Test for Linkage Disequilibrium: The Insulin Gene Region and Insulin-						
٠		dependent Diabetes Mellitus (IDDM)," Am. J. H	um. Genet., Vol. 52. p. 506 (199	3)				
	D48							
			Am J Hum Genet., Vol. 57, pp. 1384-94 (1995)					
	D49	STRAUB et al., "A possible vulnerability locus for bipolar affective disorder on chromosome 21q22.3," <i>Nature Genet.</i> , Vol. 8, pp. 291-296 (Nov. 1994)						
	D50	TERWILLIGER, Am. J. Hum. Genet., "A Powerful Likelihood Method for the Analysis of Linkage Disequilibrium between Trait Loci and One or More Polymorphic Marker Loci," Vol. 56, p. 777 (1995)						
	D51	UHRHAMMER, N. et al., "Sublocalization of an Ataxia-Telangiectasia Gene Distal to D11S384 by Ancestral Haplotyping in Costa Rican Families," Am. J. Hum. Genet., Vol. 57, pp. 103-111 (1992)						
	D52	WEBER, J.L., "Informativeness of Human (dC-dA), (dG-dT), Polymorphisms," Genomics, Vol. 7, pp. 524-530						
		(1990)		77.1.0.50				
	D53	WEISSENBACH et al., "A second-generation linkage map of the human genome," Nature, Vol. 359, pp. 794-801 (1992)						
3 0 0	D54	YOSHIKAWA et al., "Isolation of Chromosome 18-Specific Brain Transcripts as Positional Candidates for						
LOR		Bipolar Disorder," Am. J. Hum. Genet. Vol. 74,	pp. 140-149 (1997)					
EXAMINER A	) Wa	B Owleys	DATE CONSIDERED					

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609: Draw line through citation if not in conformation and not considered. Include a copy of this form with the next communication to applicant.